

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15627	HARRISON.in. GIERASCH.in. VERDINE.in. "SHI.in. "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 15:55
L2	34	I1 and opioid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:07
L3	1114	564/123 564/161 564/170 564/171 564/174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:08
L4	0	I3 and I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:08
L5	0	I3 and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:08
L6	18	I3 and opioid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:08
L7	18	I6 not I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:12
L8	80	endomorphin-2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:12
L9	1	I8 and I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:13

EAST Search History

L10	0	I8 and I3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:13
L11	77	I8 and derivat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:13
L12	40	I8 and opioid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:13
L13	37	I11 and opioid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:14
L14	36	I13 not I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:14
L15	36	I14 not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/10 16:14

STN

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptayvv1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 4 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 5 AUG 30 CA(SM)/CAplus(SM) Austrian patent law changes
NEWS 6 SEP 11 CA/CAplus enhanced with more pre-1907 records
NEWS 7 SEP 21 CA/CAplus fields enhanced with simultaneous left and right
truncation
NEWS 8 SEP 25 CA(SM)/CAplus(SM) display of CA Lexicon enhanced
NEWS 9 SEP 25 CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS 10 SEP 25 CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS 11 SEP 28 CEABA-VTB classification code fields reloaded with new
classification scheme
NEWS 12 OCT 19 LOGOFF HOLD duration extended to 120 minutes
NEWS 13 OCT 19 E-mail format enhanced
NEWS 14 OCT 23 Option to turn off MARPAT highlighting enhancements available
NEWS 15 OCT 23 CAS Registry Number crossover limit increased to 300,000 in
multiple databases
NEWS 16 OCT 23 The Derwent World Patents Index suite of databases on STN
has been enhanced and reloaded
NEWS 17 OCT 30 CHEMLIST enhanced with new search and display field
NEWS 18 NOV 03 JAPIO enhanced with IPC 8 features and functionality

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 14:54:55 ON 10 NOV 2006

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

FULL ESTIMATED COST

ENTRY

SESSION

0.21

0.21

FILE 'REGISTRY' ENTERED AT 14:55:12 ON 10 NOV 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 9 NOV 2006 HIGHEST RN 912878-87-6
DICTIONARY FILE UPDATES: 9 NOV 2006 HIGHEST RN 912878-87-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10683756-1.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 14:55:33 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6820 TO ITERATE

29.3% PROCESSED 2000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 131449 TO 141351
 PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 14:55:40 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 135643 TO ITERATE

100.0% PROCESSED 135643 ITERATIONS
 SEARCH TIME: 00.00.08


48 ANSWERS

L3 48 SEA SSS FUL L1

=> d l3 scan

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Carbamic acid, [(1S,2S,4E,6R,7R)-8-[[[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]amino]-1-[[4-(1,1-dimethylethoxy)phenyl]methyl]-2,6-dihydroxy-8-oxo-7-(phenylmethyl)-4-octenyl]-, 1,1-dimethylethyl ester (9CI)
 MF C40 H53 N3 O7

Absolute stereochemistry.
 Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):20

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)- (9CI)
 MF C32 H40 N2 O4


Absolute stereochemistry.
 Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI)
 MF C33 H41 N3 O5


Absolute stereochemistry.
 Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)-(9CI)
 MF C33 H40 N2 O5

Absolute stereochemistry.
 Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI)

MF C30 H36 N2 O4


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1S,2Z,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)-(9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1S,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αS)-(9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)- (9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)- (9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1R,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αS)- (9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α-[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (αR)-(9CI)
 MF C33 H42 N2 O5


Absolute stereochemistry.
 Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α-[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (αR)-(9CI)
 MF C32 H40 N2 O4

Absolute stereochemistry.
 Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α-[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-

(phenylmethyl)ethyl]-, (αR)- (9CI)
MF C33 H41 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α-[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (αR)- (9CI)
MF C31 H38 N2 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α-[(1S,2Z,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)- (9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-,
(α R, β R, ζ R, η S)- (9CI)
MF C31 H39 N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-,
(α S)- (9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1R,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-,
(α R)- (9CI)
MF C31 H37 N3 O5


Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Benzenepropanamide, α-[(1R,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αS)-(9CI)
 MF C31 H37 N3 O5


Absolute stereochemistry.
 Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
 IN Carbamic acid, [(1S,2R,4E,6R,7R)-8-[[[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]amino]-1-[[4-(1,1-dimethylethoxy)phenyl]methyl]-2,6-dihydroxy-8-oxo-7-(phenylmethyl)-4-octenyl]-, 1,1-dimethylethyl ester (9CI)
 MF C40 H53 N3 O7


Absolute stereochemistry.
 Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 48 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI)
MF C32 H40 N2 O4

Absolute stereochemistry.
Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):o
'O' IS NOT VALID HERE

To display more answers, enter the number of answers you would like to see. To end the display, enter "NONE", "N", "0", or "END".
HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

167.38

167.59

FILE 'CAPLUS' ENTERED AT 14:56:30 ON 10 NOV 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Nov 2006 VOL 145 ISS 21

FILE LAST UPDATED: 9 Nov 2006 (20061109/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13

L4

3 L3

=> d 14 ibib abs hitstr 1-

YOU HAVE REQUESTED DATA FROM 3 ANSWERS - CONTINUE? Y/(N):y

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:333687 CAPLUS

DOCUMENT NUMBER: 140:339637

TITLE: Preparation of peptidomimetic μ -opioid receptor ligands

INVENTOR(S): Harrison, Bryce; Gierasch, Tiffany Malinky; Verdine, Gregory L.; Shi, Zhangjie

PATENT ASSIGNEE(S): President and Fellows of Harvard College, USA

SOURCE: PCT Int. Appl., 128 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004033414	A1	20040422	WO 2003-US32280	20031010
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2003279953	A1	20040504	AU 2003-279953	20031010
US 2004254225	A1	20041216	US 2003-683756	20031010
PRIORITY APPLN. INFO.:			US 2002-417925P	P 20021011
			US 2003-443428P	P 20030129
			WO 2003-US32280	W 20031010

OTHER SOURCE(S): MARPAT 140:339637

AB The invention relates to peptidomimetic compds. derived from aralkyl-substituted aminodihydroxyalk(en) oic acids which are modulators of the μ -opioid receptor (MOR) and thus have therapeutic applications. The claims include compds. of general formula
 $R52NCHR1CH(OH)CH2CHRCHRCH(OH)CHR2CO-X-CHR3R4$ [R2 is H2 or a bond; X is N, O or S; R1-R3 are (un)substituted (hetero)arylalkyl; R4 is H, CONR72 (R7 is H, alkyl, acyl or a protecting group), CONHR7, CH2OH, CH(OH)CH:CH2 or CONHCHR10CO2H (R10 is an amino acid side chain); R5 is H, alk(en)yl, (hetero)aryl, acyl, a protecting group or COCHR10CO2H] or their pharmaceutically-acceptable salts. Thus, stereoisomeric
 $H2NCH(CH2C6H4OH-p)CH(OH)CH2CH:CHCH(OH)CH(CH2Ph)CONHCH(CH2Ph)CONH2$ (2) were prepared and assayed for binding affinity for MOR [8.8 ± 0.7 nM for (S,S,S,R)-2, vs. 1.2 ± 0.1 nM for endomorphin 2].

IT 479495-67-5P 479495-68-6P 479495-69-7P
479495-70-0P 479495-71-1P 479495-72-2P
479495-73-3P 479495-74-4P 479495-75-5P
479495-76-6P 479495-77-7P 479495-78-8P
479495-79-9P 479495-80-2P 479495-81-3P
479495-83-5P 479495-84-6P 479495-85-7P
479495-86-8P 479496-03-2P 479496-04-3P
479496-05-4P 479496-06-5P 479496-11-2P
479496-12-3P 479496-13-4P 479496-14-5P
479496-15-6P 479496-16-7P 479496-17-8P
479496-18-9P 479496-19-0P 503186-38-7P
503186-39-8P 503186-40-1P 503186-41-2P

503186-42-3P 503186-43-4P 503186-44-5P

503186-45-6P 503186-46-7P 503186-47-8P

503186-48-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation of peptidomimetic μ -opioid receptor ligands)

RN 479495-67-5 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-68-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-69-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as shown.



RN 479495-70-0 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-71-1 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-72-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-73-3 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-74-4 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-75-5 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-76-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 479495-77-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-78-8 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-79-9 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-80-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-81-3 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as shown.



RN 479495-83-5 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- β , ζ ,4-trihydroxy- α -(phenylmethyl)-, (α R, β S, ζ S, η S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 479495-84-6 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- β , ζ ,4-trihydroxy- α -(phenylmethyl)-, (α R, β R, ζ S, η S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 479495-85-7 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-, (α R, β R, ζ R, η S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 479495-86-8 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-, (α R, β S, ζ R, η S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 479496-03-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2Z,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-04-3 CAPLUS

CN Benzenepropanamide, α -[(1R,2Z,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-05-4 CAPLUS

CN Benzenepropanamide, α -[(1R,2Z,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-06-5 CAPLUS

CN Benzenepropanamide, α -[(1S,2Z,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-11-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-12-3 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-13-4 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-14-5 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-15-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-16-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-17-8 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-18-9 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-19-0 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)- (9CI) (CA INDEX NAME).

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-38-7 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-39-8 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-40-1 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-41-2 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME).

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-42-3 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-43-4 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-44-5 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-45-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-46-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-47-8 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-48-9 CAPLUS

CN Benzenepropanamide, α-[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.



IT 680187-48-8DP, resin-bound 680187-49-9DP, resin-bound
680187-50-2DP, resin-bound 680187-51-3DP, resin-bound

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation of peptidomimetic μ-opioid receptor ligands)

RN 680187-48-8 CAPLUS

CN Carbamic acid, [(1S,2S,4E,6S,7R)-8-[[[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]amino]-1-[[4-(1,1-dimethylethoxy)phenyl]methyl]-2,6-dihydroxy-8-oxo-7-(phenylmethyl)-4-octenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 680187-49-9 CAPLUS

CN Carbamic acid, [(1S,2S,4E,6R,7R)-8-[[[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]amino]-1-[[4-(1,1-dimethylethoxy)phenyl]methyl]-2,6-dihydroxy-8-oxo-7-(phenylmethyl)-4-octenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 680187-50-2 CAPLUS

CN Carbamic acid, [(1S,2R,4E,6R,7R)-8-[[[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]amino]-1-[[4-(1,1-dimethylethoxy)phenyl]methyl]-2,6-dihydroxy-8-oxo-7-(phenylmethyl)-4-octenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 680187-51-3 CAPLUS

CN Carbamic acid, [(1S,2R,4E,6S,7R)-8-[[[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]amino]-1-[[4-(1,1-dimethylethoxy)phenyl]methyl]-2,6-dihydroxy-8-oxo-7-(phenylmethyl)-4-octenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.



REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:72698 CAPLUS

DOCUMENT NUMBER: 138:271935


TITLE: 2,6-Dimethyltyrosine Analogues of a Stereodiversified Ligand Library: Highly Potent, Selective, Non-Peptidic

μ Opioid Receptor Agonists
 AUTHOR(S): Harrison, Bryce A.; Pasternak, Gavril W.; Verdine, Gregory L.
 CORPORATE SOURCE: Department of Chemistry and Chemical Biology, Harvard University, Cambridge, MA, 02138, USA
 SOURCE: Journal of Medicinal Chemistry (2003), 46(5), 677-680
 CODEN: JMCMAR; ISSN: 0022-2623
 PUBLISHER: American Chemical Society
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 138:271935
 GI



- AB The authors report the synthesis and bioactivity of enediol-based 2,6-dimethyltyrosine analogs I (X = NH, R = CONH₂; X = NH, R = H; X = NH, R = CH₂OH; X = O, R = CONH₂; X = O, R = H; X = O, R = CH₂OH) towards μ -opioid receptor. For I (X = NH, R = CONH₂; X = NH, R = H), five stereoisomers of each compound were synthesized and their bioactivity evaluated, discovering certain stereoisomers with unexpected potency, selectivity, and efficacy.
 IT 503186-38-7P 503186-39-8P 503186-40-1P
 503186-41-2P 503186-42-3P 503186-43-4P
 503186-44-5P 503186-45-6P 503186-46-7P
 503186-47-8P 503186-48-9P
 RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (asym. preparation of enediol-based nonpeptidic analogs of dimethyltyrosine and their evaluation as μ -opioid receptor agonists)
 RN 503186-38-7 CAPLUS
 CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
 Double bond geometry as shown.




RN 503186-39-8 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-40-1 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-41-2 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 503186-42-3 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as shown.



RN 503186-43-4 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 503186-44-5 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 503186-45-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 503186-46-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 503186-47-8 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 503186-48-9 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxy-2,6-dimethylphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN



ACCESSION NUMBER: 2002:808520 CAPLUS

DOCUMENT NUMBER: 138:55660

TITLE: High-Affinity Mu Opioid Receptor Ligands Discovered by the Screening of an Exhaustively Stereodiversified Library of 1,5-Enediols

AUTHOR(S): Harrison, Bryce A.; Gierasch, Tiffany Malinky; Neilan, Claire; Pasternak, Gavril W.; Verdine, Gregory L.

CORPORATE SOURCE: Department of Chemistry and Chemical Biology, Harvard University, Cambridge, MA, 02138, USA
 SOURCE: Journal of the American Chemical Society (2002), 124(45), 13352-13353
 CODEN: JACSAT; ISSN: 0002-7863
 PUBLISHER: American Chemical Society
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 138:55660
 GI



AB A stereodiversified library of all 16 stereoisomers of 1,5-enediol I was synthesized, and these compds. were screened for mu opioid receptor (MOR) binding. The stereochem. configuration of I strongly impacted the binding affinity, and (S,S,S,R)-I exhibited a K_i of 8.8 nM for MOR, comparable to that of endomorphin-2 (K_i = 1.2 nM). Moreover, compds. I exhibited 5-86-fold selectivity for MOR over delta opioid receptor (DOR) and 16-150-fold selectivity for MOR over kappa opioid receptor (KOR). Addnl., analogs of I were synthesized which showed that the trans configuration of the olefin was important for receptor binding but modifications of the C-terminal amino acid were well tolerated. Of these analogs, tetraols II are noteworthy because they retain only one of the amide bonds present in endomorphin-2, but bind MOR with an affinity of 10 nM and 110- and 600-fold selectivity for MOR over DOR and KOR. These results demonstrate the utility of stereochem. diversity in the discovery of bioactive small mols.

IT 479495-67-5P 479495-68-6P 479495-69-7P
 479495-70-0P 479495-71-1P 479495-72-2P
 479495-73-3P 479495-74-4P 479495-75-5P
 479495-76-6P 479495-77-7P 479495-78-8P
 479495-79-9P 479495-80-2P 479495-81-3P
 479495-82-4P 479495-83-5P 479495-84-6P
 479495-85-7P 479495-86-8P 479496-03-2P
 479496-04-3P 479496-05-4P 479496-06-5P
 479496-11-2P 479496-12-3P 479496-13-4P
 479496-14-5P 479496-15-6P 479496-16-7P
 479496-17-8P 479496-18-9P 479496-19-0P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation of amino(dihydroxy)nonenamides and derivs. as nonpeptidic high-affinity μ -opioid receptor ligands)

RN 479495-67-5 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-68-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-69-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as shown.



RN 479495-70-0 CAPLUS


CN Benzenepropanamide, α -[(1R,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 479495-71-1 CAPLUS
CN Benzenepropanamide, α-[(1S,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 479495-72-2 CAPLUS
CN Benzenepropanamide, α-[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-73-3 CAPLUS
CN Benzenepropanamide, α-[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-74-4 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-75-5 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 479495-76-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 479495-77-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-78-8 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-79-9 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-80-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-81-3 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479495-82-4 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6R)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as shown.



RN 479495-83-5 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-, (α R, β S, ζ S, η S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 479495-84-6 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-, (α R, β R, ζ S, η S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 479495-85-7 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-, (α R, β R, ζ R, η S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 479495-86-8 CAPLUS

CN Benzenenonanamide, η -amino-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]- $\beta,\zeta,4$ -trihydroxy- α -(phenylmethyl)-, (α R, β S, ζ R, η S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 479496-03-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2Z,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-11-2 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-12-3 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-13-4 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-(2-phenylethyl)-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-14-5 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-15-6 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-16-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-1-(hydroxymethyl)-2-phenylethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-17-8 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-18-9 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5S,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 479496-19-0 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,5R,6S)-6-amino-1,5-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S,2R)-2-hydroxy-1-(phenylmethyl)-3-butenyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.



REFERENCE COUNT:

25

THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> FIL STNGUIDE

COST IN U.S. DOLLARS

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE

ENTRY

16.25

SINCE FILE

ENTRY

-2.25

TOTAL

SESSION

183.84

TOTAL

SESSION

-2.25

FILE 'STNGUIDE' ENTERED AT 14:57:59 ON 10 NOV 2006

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Nov 3, 2006 (20061103/UP).

=> file reg

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE

ENTRY

0.48

TOTAL

SESSION

184.32

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-2.25

FILE 'REGISTRY' ENTERED AT 15:02:34 ON 10 NOV 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 9 NOV 2006 HIGHEST RN 912878-87-6
 DICTIONARY FILE UPDATES: 9 NOV 2006 HIGHEST RN 912878-87-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10683756-2.str

L5 STRUCTURE UPLOADED

=> d 15

L5 HAS NO ANSWERS

L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 15 full

FULL SEARCH INITIATED 15:02:59 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 147523 TO ITERATE

100.0% PROCESSED 147523 ITERATIONS
 SEARCH TIME: 00.00.09

16 ANSWERS

L6

16 SEA SSS FUL L5

=> d 16 scan


L6 16 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN

IN Benzenepropanamide, α -[(1S,2E,4R,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)- (9CI)

MF C31 H37 N3 O5

Absolute stereochemistry.

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

167.38

351.70

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-2.25

FILE 'CAPLUS' ENTERED AT 15:03:28 ON 10 NOV 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Nov 2006 VOL 145 ISS 21

FILE LAST UPDATED: 9 Nov 2006 (20061109/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 16 not 14

2 L6


L7

1 L6 NOT L4

=> d 17 abs ibib hitstr 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y

L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
GI



AB Using olefin cross-metathesis, the authors synthesized a novel stereodiversified library of I containing a trans-1,4-enediol. Screening this library for mu opioid receptor (MOR) affinity identified multiple high-affinity ligands and revealed that the stereochem. configuration varied widely among those ligands having the highest affinity. It was not possible to predict the configurations of the most active I stereoisomers on the basis of the configuration of endomorphin-2, a known MOR peptide ligand, validating the diversity-based approach to ligand discovery.

ACCESSION NUMBER: 2003:110339 CAPLUS

DOCUMENT NUMBER: 138:297095

TITLE: Unpredictable Stereochemical Preferences for Mu Opioid Receptor Activity in an Exhaustively Stereodiversified Library of 1,4-Enediols

AUTHOR(S): Shi, Zhangjie; Harrison, Bryce A.; Verdine, Gregory L.

CORPORATE SOURCE: Department of Chemistry and Chemical Biology, Harvard University, Cambridge, MA, 02138, USA

SOURCE: Organic Letters (2003), 5(5), 633-636

CODEN: ORLEF7; ISSN: 1523-7060

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 138:297095

IT 507276-41-7P 507276-43-9P 507276-45-1P

507276-47-3P 507276-49-5P 507276-51-9P

507276-53-1P 507276-55-3P 507276-57-5P

507276-59-7P 507276-61-1P 507276-63-3P

507276-65-5P 507276-67-7P 507276-69-9P

507276-71-3P

RL: PAC (Pharmacological activity); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)


(unpredictable stereochem. preferences for mu opioid receptor activity
in an exhaustively stereodiversified library of enediols in relation to
partial agonist activity)

RN 507276-41-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,4R,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-43-9 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,4R,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-45-1 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,4R,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as shown.



RN 507276-47-3 CAPLUS


CN Benzenepropanamide, α -[(1S,2E,4R,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 507276-49-5 CAPLUS
CN Benzenepropanamide, α -[(1R,2E,4S,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 507276-51-9 CAPLUS
CN Benzenepropanamide, α -[(1R,2E,4S,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αS)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 507276-53-1 CAPLUS
CN Benzenepropanamide, α -[(1S,2E,4S,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (αR)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 507276-55-3 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,4S,6R)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-57-5 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,4R,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-59-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,4R,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-61-1 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,4R,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-63-3 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,4R,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-65-5 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,4S,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-67-7 CAPLUS

CN Benzenepropanamide, α -[(1R,2E,4S,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-69-9 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,4S,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.




RN 507276-71-3 CAPLUS

CN Benzenepropanamide, α -[(1S,2E,4S,6S)-6-amino-1,4-dihydroxy-7-(4-hydroxyphenyl)-2-heptenyl]-N-[(1S)-2-amino-2-oxo-1-(phenylmethyl)ethyl]-, (α S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.



REFERENCE COUNT:

22

THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT